

#### 1. Identification

Product Identifier Steel Kleen

Other means of identification

Product code MAJC13

**Recommended use** Solvent based stainless steel cleaner.

Recommended restrictions Professional use only.

Manufacturer/distributor/supplier/importer information

Company name M3 Technologies, Inc.

Address 57 Lamberts Lane

Cohasset, MA 02025

**Telephone** (800) 342-4533

Emergency phone number CHEMTREC (800) 424-9300

24-hour Emergency (800) 424-9300

# 2. Hazard(s) Identification

Physical hazardsFlammable LiquidsCategory 4Health hazardsSkin irritationCategory 2

Eye irritation Category 2
Aspiration Hazard Category 1

**Environmental hazards** Not classified.

OSHA defined hazards None

Label elements





Signal word DANGER

Hazard statement Combustible liquid.

May be harmful if swallowed. Causes skin irritation. Causes serious eye irritation.

May be fatal if swallowed and enters airways.

**Precautionary statement** 

Prevention Keep away from flames and hot surfaces. No smoking. Wash hands and exposed skin

thoroughly after handling. Wear protective gloves/eye protection/face protection.

Wash hands and exposed skin thoroughly after handling.

Response In case of fire: Use water fog, foam or carbon dioxide (CO<sub>2</sub>) to extinguish.

**IF ON SKIN:** Wash with plenty water for 15 minutes. Specific treatment (see Section 4 on the Safety Data Sheet). If skin irritation occurs: Get medical advice/attention. Take off

contaminated clothing and wash before reuse.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

IF SWALLOWED: Immediately call a POISON CENTER/doctor/medical professional. Do

NOT induce vomiting.

**Store** in a well-ventilated place. Keep cool. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.



Hazard(s) not otherwise classified (HNOC)

None.

**Supplemental information** 

None

# 3. Composition/information on ingredients

Mixture Component(s)				
Chemical name	CAS number	Purpose	%	
C9-12 Light Alkanes	64742-88-7	Solvent	30-35%	
Distillates (petroleum),				
solvent-dewaxed heavy				
paraffinic	64742-65-0	Processing Aid	25-35%	
Distillates (petroleum),				
solvent-dewaxed light				
paraffinic	64742-56-9	Processing Aid	10-20%	
d-Limonene	5989-27-5	Emulsion Component	10-20%	
Butoxyethanol	111-76-2	Solvent	5-15%	
Proprietary Stabilizer	PROPRIETARY	Stabilizer	1-5%	
Water	7732-18-5	Solvent	0-5%	

### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do

so. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Only induce vomiting at the Ingestion

instruction of medical personnel.

Most important

symptoms/effects, acute and

delayed Indication of immediate

medical attention and special

treatment needed

Dermatitis. Rash.

Provide general support measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to the hospital. Keep victim under

observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves. Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Carbon dioxide (CO<sub>2</sub>). Dry chemical powder, sand, or earth may be used

for small fires only.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source or ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and

grounding procedures. During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for

firefighters

Self-contained breathing apparatus and full protecting clothing must be worn in case of

fire.



Fire-fighting

equipment/instructions

you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if

General fire hazards Flammable liquid and vapor.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Remove all sources of ignition. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources. Use only non-sparking tools. Take precautionary measures against static discharge. Keep combustibles away from spilled material.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small spills: Absorb with earth, sand, or other non-combustible material and transfer to container for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

SDS

**Environmental precautions** 

Avoid release to the environment. Avoid discharge into surface drainage paths and other areas not consistent with package labeling.

### 7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Do not smoke. Use explosion proof equipment and non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Ground/bond container and equipment. Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

### 8. Exposure controls/personal protection

# **Occupational exposure limits**

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

ComponentsTypeValue2-butoxyethanolPEL50 ppm

**US ACGIH Threshold Limit Values** 

ComponentsTypeValue2-butoxyethanolSTEL20 ppm

### **Biological limit values**

**ACGIH Biological Exposure Indices** 

ComponentsValueDeterminantSpeciesSampling Time2-butoxyethanol200 mg/gCreatinineUrineEnd of shift.

Material Name: Steel Kleen Page 3 of 7 SDS US



Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** The use of gloves impervious to the specific material handled is advised to prevent skin

contact. Users should check with manufacturers to confirm the breakthrough performance

of their products. Suggested protective materials: Nitrile and PVC rubber.

Other Depending on exposure and use conditions, additional protection may be necessary to

prevent skin contact including use of items such as chemical-resistant boots, aprons, arm

covers, hoods and/or coveralls..

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

### 9. Physical and chemical properties

**Appearance** 

Physical State Liquid.

**Color** Colorless to light amber.

Odor Citrus.

Odor threshold Not available.

PH Not available.

Melting/freezing point Not available.

Initial boiling point and boiling

range

 $300-410^{\circ}F$  (148.9-210°C) estimated.

Flash point 150°F (66°C) - Estimated.

**Evaporation rate** Not available. **Flammability** Not available.

**Flammability Limits** 

Upper 6% estimated.
Lower 0.8% estimated.
Vapor pressure Not available.
Vapor density Not available.

Specific gravity (water=1) 0.83

Solubility in water Largely insoluble.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

### 10. Stability and reactivity

**Reactivity**This product is stable and non-reactive under normal conditions of use. **Chemical stability**Material is stable under normal conditions. Store in a cool dark place.

Material Name: Steel Kleen Page 4 of 7 SDS US



Possibility of hazardous

Hazardous polymerization does not occur.

reactions

**Conditions to avoid** Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding

the flash point. Contact with incompatible materials.

Incompatible materials **Hazardous decomposition**  Oxidizing agents, strong acids.

products

Carbon dioxide, carbon monoxide.

# 11. Toxicological information

Information on likely routes of exposure

Ingestion Expected to be low ingestion hazard. Inhalation Prolonged inhalation may be harmful.

Skin contact May cause mild skin irritation.

Eye contact Causes serious eye irritation. Wear eye/face protection.

Symptoms related to the

physical, chemical and toxicological characteristics Dermatitis. Rash.

**Acute toxicity** Not established.

Product Steel Kleen (CAS mixture)				
Exposure Classification	Route and Species	LD <sub>50</sub>		
Acute	Oral, rat	> 5,200 mg/kg (estimated)		
*Estimates for product may be based on additional component data not shown				

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/irritation Causes serious eye irritation.

**Respiratory sensitization** Not available. Not available. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components

present at greater than 0.1% are mutagenic or genotoxic.

This product is not expected to be a carcinogen. Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not Listed

Reproductive toxicity This product is not expected to cause reproductive or

developmental effects.

Specific target organ toxicity - single exposure Not classified. Specific target organ toxicity - repeated exposure Not classified.

**Aspiration hazard** May be harmful or fatal if product enters airways.

# 12. Ecological information

Ecotoxicity				
Product Steel Kleen (CAS mixture)				
Aquatic	Species	Test Threshold(s)		
Fish	Fathead minnow ((Pimephales promelas)	$LC_{50} = > 4.3 \text{ mg/L (estimated)}$		
Crustacea	Daphnia Magna	$EC_{50} = > 145 \text{ mg/L (estimated)}$		
*Estimates for product may be based on additional component data not shown				

Persistence and degradability No data available.

**Bio-accumulative potential** Potential to bioaccumulation is expected to be low.

Mobility in soil No data available. This class of chemical mixture is expected to exhibit limited mobility in

saturated and semi-saturated soils. Due to oleophilic natural of a primary component,



some level of phase separation can be expected with the oleophilic recoverable as a LNAPL

at the piezometric surface of the water table

Other adverse effects Harmful to aquatic life.

# 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose

of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner.

(see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings

even after container is emptied.

### 14. Transport information

**DOT** Not regulated as dangerous goods.

# 15. Regulatory information

**US federal regulations** 

SARA 302 Extremely hazardous substance Not listed.

SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

SARA 313 (TRI reporting) Not listed.

California Proposition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to

threshold determination and Safe Harbor notification (12/2020).

## 16. Other information, including date of preparation or last revision

 Issue date
 3/8/2017

 Revision date
 2/9/2021

Version #

HMIS® ratings Health: 2

Flammability: 2 Physical hazard: 0

Material Name: Steel Kleen Page 6 of 7 SDS US





NFPA ratings

Health: 2 Flammability: 2 Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

**Revision information** 

Composition information updated in accordance with industry standards.