M3 Technologies, Inc.

SAFETY DATA SHEET

1. Identification

Product Identifier Majestic Stone & Grout Intensive Cleaner

Other means of identification

Product code MAJC03555

Recommended useStone and grout cleaner.Recommended restrictionsProfessional use only.Manufacturer/distributor/supplier/importer information

Company name M3 Technologies, Inc.

Address 57 Lamberts Lane
Cohasset, MA 02025

Telephone (800) 342-4533

Emergency phone number CHEMTREC (800) 424-9300

24-hour Emergency (800) 424-9300

2. Hazard(s) Identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Skin corrosion Category 1 Eye damage Category 1

Environmental hazards Not listed.

OSHA defined hazards Not listed.

Label elements





Signal word DANGER

Hazard statement May be harmful if swallowed.

Causes severe skin burns and eye damage.

Precautionary statement

Prevention Do not breathe dusts or mists. Wash hands and exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Response Call a POISON CENTER/doctor/medical professional if you feel unwell.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower/ Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER/doctor/medical professional. Specific treatment (see

section 4 on the Safety Data Sheet.)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None.

Supplemental information None.



3. Composition/information on ingredients

Mixture Component(s)			
Chemical name	CAS number	Purpose	%
Water	7732-18-5	Solvent	70-90%
Butoxyethanol	111-76-2	Solvent	5-15%
Nonoxynol	127087-87-0	Surfactant	1-5%
Sodium Xylene Sulfonate	1300-72-7	Detergent Additive	1-5%
Sodium Metasilicate	6834-92-0	Chelating Agent	1-5%
Sodium Carbonate	497-19-8	Builder	1-5%
C8-10 Alcohols Ethoxylate			
Phosphate	68603-25-8	Surfactant	1-5%
Potassium Hydroxide	1310-58-3	pH Adjuster	1-5%
Tetrasodium EDTA	64-02-8	Chelating Agent	1-5%
Sodium Sulfate	7757-82-6	Thickener	0-1%
Glycol Ethers	PROPRIETARY	Stabilizer	0-1%
Sodium glycolate	2836-32-0	Buffering Agent	0-0.1%
Trisodium NTA	5064-31-3	Chelating Agent	0-0.1%
Sodium hydroxide	1310-73-2	pH Adjuster	0-0.1%

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Eye contact

Get medical attention. Eye wash stations should be located in work area.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.

Dermatitis. Rash. May cause an allergic skin reaction.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Provide general support measures and treat symptomatically. Keep victim under

observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Self-contained breathing apparatus and full protecting clothing must be worn in case of

Fire-fighting

Move containers from fire area if you can do so without risk.

equipment/instructions

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

M3 Technologies, Inc.

SAFETY DATA SHEET

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear appropriate protective equipment and clothing during clean-up. Wear eye/face

protection.

Methods and materials for containment and cleaning up

Caution – spillages may be slippery.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent

entry into waterways, sewer, basements or confined areas.

Small spills: Wipe up with absorbent material (e.g. cloth, absorbent wipes). Clean surface

thoroughly with soap and water to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

SDS

Environmental precautions Do not release into the open environment (see section 12). Avoid discharge into surface

drainage paths and other areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate

personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any

including any incompatibilities

Store in original tightly closed container. Do not store in extreme conditions.

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
2-butoxyethanol	PEL	50 ppm
Potassium hydroxide	PEL	2 mg/m ³

US ACGIH Threshold Limit Values

Components	Туре	Value
2-butoxyethanol	STEL	20 ppm
Potassium hydroxide	STEL	2 mg/m ³

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Species	Sampling Time
2-butoxyethanol	200 mg/g	Creatinine	Urine	End of shift.

Appropriate engineering controls

Emergency eye wash stations and showers should be readily accessible. Provide natural or

mechanical ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection The use of gloves impervious to the specific material handled is advised to prevent skin

contact. Users should check with manufacturers to confirm the breakthrough performance

of their products. Suggested protective materials: Nitrile and PVC rubber.



Other Wear long sleeve shirts with full-length pants. Depending on exposure and use conditions,

additional protection may be necessary to prevent skin contact including use of items such

as chemical-resistant boots, aprons, arm covers, hoods and /or coveralls.

Respiratory protection Respiratory protection not required for prescribed use of this product

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygieneConsiderations
When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or

smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical State Liquid
Color Colorless
Odor Sweet

Odor threshold Not available

pH 13.5

Melting/freezing point Not available
Initial boiling point and >212°F (100°C)

boiling range

Flash point >212°F (100°C)
Evaporation rate Not available.
Flammability Not available.

Flammability Limits

Upper Not available.
Lower Not available.
Vapor pressure Not available.
Vapor density Not available.

Specific gravity (water=1) 1.05
Solubility in water Soluble
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Decomposes on heating.

Viscosity Not available.

10. Stability and reactivity

Reactivity This product is stable and non-reactive under normal conditions of use.

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerization does not occur.

reactions

Conditions to avoidHeat, flames can cause product to decompose.Incompatible materialsStrong acids, strong bases, strong oxidizing agents.

Hazardous decomposition Aldehydes, ketones, organic acids, carbon dioxide, carbon monoxide.

products

11. Toxicological information

Information on likely routes of exposure



Ingestion Corrosive to mucous membranes, will damage tissue if there is prolonged contact.

Inhalation Expected to be a low inhalation hazard.

Skin contact Repeated and/or prolonged skin contact will cause irritation and/or burns.

Eye contact Causes severe eye damage. May cause severe corneal injury.

Symptoms related to the physical, chemical and toxicological characteristics

Dermatitis. Rash. May cause an allergic skin reaction.

Acute toxicity This product is harmful if swallowed.

Product Majestic - Stone & Grout Intensive Cleaner (CAS mixture)		
Exposure Classification	Route and Species	LD ₅₀
Acute	Oral, rat	> 3,150 mg/kg (estimated)
Acute	Dermal, rabbit	> 5,000 mg/kg (estimated)
*Estimates for product may be based on additional component data not shown		

Skin corrosion/irritationCauses severe skin burns.Serious eye damage/ irritationCauses serious eye damage.

Respiratory sensitizationNot classified.Skin sensitizationNot classified.Germ cell mutagenicityNot classified.

Carcinogenicity Not considered a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not Listed.

Reproductive toxicity Not classified.

Specific target organ toxicity – single exposure Not classified.

Specific target organ toxicity – repeated exposure Not classified.

Aspiration hazard Not considered an aspiration hazard.

12. Ecological information

Ecotoxicity		
Product Majestic- Stone & Grout Intensive Cleaner (CAS mixture)		
Aquatic Receptor	Species	Test Thresholds
Crustacea	Daphnia magna (water flea)	EC ₅₀ (48-hr): 173.25 mg/L (estimated)
Fish	Unspecified	LC ₅₀ (96-hr): 79.75 mg/L (estimated)
*Estimates for product may be based on additional component data not shown		

Persistence and degradability

Nonylphenyl ethoxylate: not considered readily biodegradable, but doesn't mean this

material isn't biodegradable under certain environmental conditions.

Bioaccumulative potential No data available.

Mobility in soil Not available. Chemicals of these classes are highly water soluble and are expected to

partition readily to water and exhibit moderate to high mobility in saturated and semi-

saturated soils

Other adverse effects The pH of this product may cause it to be toxic to aquatic and terrestrial organisms.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose

of contents/container in accordance with local/regional/national/international regulations.

Do not release to the environment.



Local disposal regulations Dispose in accordance with all applicable regulations. As packaged, this product may meet

criteria defining RCRA corrosive (D002) hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have

been properly assessed and, as necessary, tested to confirm regulatory status.

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

(see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings

even after container is emptied.

14. Transport information

USDOT

UN number UN1760

UN proper shipping

name

Corrosive Liquids, n.o.s. (Contains: Potassium Hydroxide)

Transport hazard

class(es)

Class 8
Subsidiary risk Packaging group III
Marine pollutant No

Special precautions for user

Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code

DOT Label/Placard

Read safety instructions, SDS, and emergency procedures before handling.

Not intended to be transported in bulk.



15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance Not listed.

SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

ARA 313 (TRI reporting) 2-butoxyethanol (Glycol Ether Category)



California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (1/2019)

16. Other information, including date of preparation or last revision

 Issue date
 2/19/2015

 Revision date
 11/10/2020

Version #

HMIS® ratings Health: 2

Flammability: 0 Physical hazard: 0



NFPA ratings Health: 2

Flammability: 0 Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information

Update Composition information in compliance with updated standards.